

Eptinezumab-jjmr (Vyepti®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVE Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/____/____

Referral Status: ☐ New Referral ☐ Dose or Frequency Change ☐ Renewal

Patient Name: _____ Patient Address: _____ Patient Phone Number: _____ Date of Birth: ____/____/____ Weight: ____kg Height: ____cm Allergies: _____	Primary Insurance: _____ Member ID: _____ Secondary Insurance: _____ Member ID: _____				
<p style="text-align: center;">Diagnosis</p> <input type="checkbox"/> Migraine without aura, not intractable (G43.00) <input type="checkbox"/> Migraine without aura, not intractable, with status migrainosus (G43.001) <input type="checkbox"/> Migraine without aura, intractable, with status migrainosus (G43.011) <input type="checkbox"/> Migraine without aura, intractable, without status migrainosus <input type="checkbox"/> Migraine with aura, not intractable, with status migrainosus (G43.101) <input type="checkbox"/> Migraine with aura, not intractable, without status migrainosus (G43.109) <input type="checkbox"/> Migraine with aura, intractable, with status migrainosus (G43.111) <input type="checkbox"/> Migraine with aura, intractable, without status migrainosus (G43.119) <input type="checkbox"/> Other Diagnosis Code (ICD-10): _____ <input type="checkbox"/> Other Indication: _____ Target start date: _____	<table style="width: 100%;"> <tr> <th style="text-align: left; width: 50%;">Labs</th> <th style="text-align: left; width: 50%;">Frequency</th> </tr> <tr> <td> <input type="checkbox"/> No lab tests required. <input type="checkbox"/> Other: _____ </td> <td> <input type="checkbox"/> Every infusion <input type="checkbox"/> Other: _____ </td> </tr> </table>	Labs	Frequency	<input type="checkbox"/> No lab tests required. <input type="checkbox"/> Other: _____	<input type="checkbox"/> Every infusion <input type="checkbox"/> Other: _____
Labs	Frequency				
<input type="checkbox"/> No lab tests required. <input type="checkbox"/> Other: _____	<input type="checkbox"/> Every infusion <input type="checkbox"/> Other: _____				
Previously tried and failed therapies (include dates): _____					
Eptinezumab-jjmr (Vyepti®) in 100 mL 0.9% sodium chloride					
Nursing note: Infuse over approximately 30 minutes. Use an intravenous infusion set with a 0.2 micron or 0.22 micron in-line or add-on sterile filter.					
<p style="text-align: center;">Dose</p> <input type="checkbox"/> 100 mg <input type="checkbox"/> 300 mg <input type="checkbox"/> _____ mg	<p style="text-align: center;">Frequency</p> <input type="checkbox"/> Every 3 months <input type="checkbox"/> Every _____ months Date of last infusion: ____/____/____				

An Outpatient Department of Trinity Health Oakland
9400 Village Place Blvd, Brighton, MI 48116
Phone: 810-844-7373
Fax: 810-844-7366

Pre-Medications and Pre-Protocol (ordered at physician discretion)	<input type="checkbox"/> Acetaminophen 650 mg PO once <input type="checkbox"/> Loratadine 10 mg PO once <input type="checkbox"/> Diphenhydramine once <input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg <input type="checkbox"/> PO <input type="checkbox"/> IV <input type="checkbox"/> Famotidine 20 mg IV once <input type="checkbox"/> Hydrocortisone 100 mg IV once <input type="checkbox"/> Methylprednisolone 125 mg IVP once <input type="checkbox"/> Other: _____	Hydration <input type="checkbox"/> LR <input type="checkbox"/> Sodium Chloride 0.9% <input type="checkbox"/> Other _____ _____ mL at _____ mL/hr <input type="checkbox"/> Before <input type="checkbox"/> During <input type="checkbox"/> Following
Flushing Protocol (pre and post medication)	<input type="checkbox"/> Sodium Chloride 0.9% <input type="checkbox"/> 5 mL <input type="checkbox"/> 10 mL as needed for line care	<input type="checkbox"/> Heparin _____ Units/mL _____ mL as needed for line care
Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary	<ul style="list-style-type: none"> • Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg) • Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping • Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses • Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea • Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses • Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Diphenhydramine injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom • Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Hydrocortisone sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure 	
<div> <div> Provider Name: _____ Attending Physician Name: _____ Office Phone Number: _____ </div> <div> Provider Signature: _____ Provider NPI: _____ Office Fax Number: _____ </div> </div> <p>(If ordering provider is an advanced practice practitioner) Note: This order is valid for 12 months from date of physician signature.</p>		