

An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116 Phone: 810-844-7373 Fax: 810-844-7366

## **Octreotide Depot (Sandostatin LAR®)**

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

**Referral Status:** 
New Referral 
Dose or Frequency Change 
Renewal

Patient Address: Patient Phone Numbo Date of Birth:/_ Weight:kg H		Primary Insurance: Member ID: Secondary Insurance: Member ID:
Indication: Target start date:	Diagnosis 0): ot (Sandostatin LAR®) Intramusc	Labs Other:
Dose 10 mg 20 mg 30 mg 40 mg Other:		<b>Frequency</b> Every 4 weeks Other:
<b>Pre-Medications</b> <b>and Pre-Protocol</b> (ordered at physician discretion)	<ul> <li>Acetaminophen 650 mg PO once</li> <li>Loratadine 10 mg PO once</li> <li>Diphenhydramine once</li> <li>25 mg 50 mg</li> <li>PO IV</li> <li>Famotidine 20 mg IV once</li> <li>Hydrocortisone 100 mg IV once</li> <li>Methylprednisolone 125 mg IVP once</li> <li>Other:</li></ul>	Hydration          LR         Sodium Chloride 0.9%         Other
Flushing Protocol (pre and post medication)	□ Sodium Chloride 0.9% □ 5 mL □ 10 mL as needed for line care	HeparinUnits/mLmL     as needed for line care



An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116 Phone: 810-844-7373 Fax: 810-844-7366

11	California de la contra de la c		
Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary	<ul> <li>generalized pain, back pain, abdominal cramping</li> <li>Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 m bronchospasm, wheezing, dyspnea, for 2 doses</li> <li>Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxe</li> <li>Epinephrine injection 0.3 mg IM every 15 minutes as new moderate anaphylaxis for 3 doses</li> <li>Famotidine injection 20 mg IV over 2 minutes once as new reaction including systolic BP 80-90 mmHg, bradycardia cognitive changes, generalized rash, chest pain/pressure</li> <li>Diphenhydramine injection 25 mg IV over 1 minute once hypersensitivity/infusion reaction (grade 2) including ter localized rash/hives, vomiting, nausea, pruritis, flushing, uneasiness, agitation, feeling of impending doom</li> <li>Diphenhydramine injection 50 mg IV over 1 minute once hypersensitivity/infusion reaction (grade 3), including sy tachycardia, hypoxemia, dyspnea, cognitive changes, gen</li> <li>Hydrocortisone sodium succinate injection 100 mg IV or hypersensitivity/infusion reaction (grade 3), including sy</li> </ul>	<ul> <li>Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping</li> <li>Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses</li> <li>Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea</li> <li>Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses</li> <li>Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure</li> <li>Diphenhydramine injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom</li> <li>Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom</li> <li>Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure</li> </ul>	
Provider Name:	Provider Signa	ture:	
Attending Physician N	Name: Provider NPI: _		
Office Phone Number	er: Office Fax Nur	nber:	
	is an advanced practice practitioner) alid for 12 months from date of physician signature.		