

An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116

Phone: 810-844-7373 Fax: 810-844-7366

Oritavancin (Orbactiv®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date:// Referral Status: □ New Referral □ Dose or Frequency Change □ Renewal				
Patient Name: Patient Address: Patient Phone Number: Date of Birth:// Weight:kg		Primary Insurance: Member ID: Secondary Insurance: Member ID:		
Diagnosis Diagnosis Code (ICD-10): Indication: Target start date:		Labs Baseline: Serum urea nitrogen, serum creatinine and LFTs Other:		
☐ 1.2 gram infusion over 3 hours ☐ Other:		Frequency Once Once Weekly for weeks Other:		
Pre-Medications and Pre-Protocol (ordered at physician discretion)	□ Acetaminophen 650 mg PO once □ Loratadine 10 mg PO once □ Diphenhydramine once □ 25 mg □ 50 mg □ PO □ IV □ Famotidine 20 mg IV once □ Hydrocortisone 100 mg IV once □ Methylprednisolone 125 mg IVP once □ Other:	_	Hydration LR Sodium Chloride 0.9% OthermL atmL/hr Before During Following	
Flushing Protocol (pre and post medication)	☐ Sodium Chloride 0.9% ☐ 5 mL ☐ 10 mL as needed for line care		parinUnits/mLmL ded for line care	



An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116

Phone: 810-844-7373 Fax: 810-844-7366

Hypersensitivity Panel

Together Care
Hypersensitivity
Panel will be
ordered to provide
emergency
supportive care
medication therapy
as necessary

- Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg)
- Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping
- Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses
- Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea
- **Epinephrine** injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses
- **Famotidine** injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure
- **Diphenhydramine** injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom
- **Diphenhydramine** injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure
- **Hydrocortisone** sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure

Provider Name:	Provider Signature:
Attending Physician Name:	Provider NPI:
Office Phone Number:	Office Fax Number:
(If ordering provider is an advanced practice practitioner) Note: This order is valid for 12 months from date of physician signatu	ure