

An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116

Phone: 810-844-7373 Fax: 810-844-7366

## Reslizumab (Cinqair®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date:// Referral Status: □ New Referral □ Dose or Frequency Change □ Renewal				
Patient Name:		Primary Insurance:		
Patient Address:			Member ID:	
Patient Phone Number:		Secondary Insurance:		
Date of Birth: / /		Member ID:		
Weight:kg H				
	Diagnosis		Labs	
		No la	bs required. Labs to be ordered by physician.	
☐ Severe Asthma with an Eosinophilic Phenotype (J82.5)			□ CBC	
☐ Diagnosis Code (ICD-10):			her:	
Target start date:				
<b>D</b> I' I I	<b>0</b> : : 0)			
Resilzumab (	<b>Cinqair</b> ®) administer over 20 minut	es		
Dose		Frequenc	A.	
		=		
☐ 3 mg/kg ☐ Other:		☐ Every 4 weeks ☐ Other:		
□ Other:		□ Other:	· <del></del>	
Pre-Medications	☐ Acetaminophen 650 mg PO once		Hydration	
and Pre-Protocol	☐ Loratadine 10 mg PO once		□ LR	
(ordered at	☐ Diphenhydramine once		☐ Sodium Chloride 0.9%	
physician discretion)	□25 mg □50 mg		□ Other	
	□ PO □IV			
	☐ Famotidine 20 mg IV once		mL atmL/hr	
	☐ Hydrocortisone 100 mg IV once		☐ Before ☐ During ☐ Following	
	☐ Methylprednisolone 125 mg IVP once			
	, , ,			
	Other:			
Flushing Protocol	☐ Sodium Chloride 0.9% ☐ 5 mL ☐ 10 m	L He	eparinUnits/mLmL	
(pre and post medication)	as needed for line care		eded for line care	



An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116

Phone: 810-844-7373 Fax: 810-844-7366

## Hypersensitivity Panel

Together Care
Hypersensitivity
Panel will be
ordered to provide
emergency
supportive care
medication therapy
as necessary

- Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg)
- Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping
- Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses
- Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea
- **Epinephrine** injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses
- Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure
- **Diphenhydramine** injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom
- **Diphenhydramine** injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure
- **Hydrocortisone** sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure

Provider Name:	Provider Signature:			
Attending Physician Name:	Provider NPI:			
Office Phone Number:	Office Fax Number:			
(If ordering provider is an advanced practice practitioner)				
Note: This order is valid for 12 months from date of physician signature.				