

An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116 Phone: 810-844-7373 Fax: 810-844-7366

Anifrolumab-fnia (Saphnelo)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/___/____

Referral Status:
New Referral
Dose or Frequency Change
Renewal

Patient Name:	Primary Insurance: Member ID: Secondary Insurance: Member ID:	
Diagnosis Systemic lupus erythematosus, organ or system involvement unspecified (M32.10) Endocarditis in systemic lupus erythematosus (M32.11) Pericarditis in systemic lupus erythematosus (M32.12) Lung involvement in systemic lupus erythematosus (M32.13) Glomerular disease in systemic lupus erythematosus (M32.14) Tubulo-interstitial nephropathy in systemic lupus erythematosus (M32.14) Other organ or system involvement in systemic lupus erythematosus (M32.15) Other organ or system involvement in systemic lupus erythematosus (M32.19) Other forms of systemic lupus erythematosus (M32.8) Systemic lupus erythematosus, unspecified (M32.9) Other Diagnosis Code (ICD-10): Target start date:	Labs Frequency BMP Every infusion CMP Other: CBC w/o diff Other: CRP ESR Other: Other:	
Anifrolumab-fnia 300 mg in sodium chloride 0.9% 100 mL IVPB Administer the infusion solution intravenously over a 30-minute period through an infusion line containing a sterile, low-protein binding 0.2 to 15 micron in-line or add-on filter. Dose Frequency 300 mg		



An Outpatient Department of Trinity Health Oakland 9400 Village Place Blvd, Brighton, MI 48116 Phone: 810-844-7373 Fax: 810-844-7366

Pre-Medications and Pre-Protocol (ordered at physician discretion)	 Acetaminophen 650 mg PO once Loratadine 10 mg PO once Diphenhydramine once 25 mg 50 mg PO IV Famotidine 20 mg IV once Hydrocortisone 100 mg IV once Methylprednisolone 125 mg IVP once 	Hydration □ LR □ Sodium Chloride 0.9% □ Other	
	□ Other:		
Flushing Protocol as needed for line care	□ Sodium Chloride 0.9% □ 5 mL □ 10 mL	□ Heparin 100 Units/mL □ 5 mL □ 10 mL	
Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary.	 Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion 		
Provider Name:		Provider Signature:	
Attending Physician N	ame:	Provider NPI:	
	:	Office Fax Number:	
signature.			