

An Outpatient Department of Trinity Health Oakland
9406 Village Place Blvd, Brighton, MI 48116
Phone: 810-844-7373
Fax: 810-844-7366

Eptinezumab-jjmr (Vyepi®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVE Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/____/____

Referral Status: ☐ New Referral ☐ Dose or Frequency Change ☐ Renewal

Patient Name: _____ Patient Address: _____ Patient Phone Number: _____ Date of Birth: ____/____/____ Weight: ____kg Height: ____cm Allergies: _____	Primary Insurance: _____ Member ID: _____ Secondary Insurance: _____ Member ID: _____				
Diagnosis ☐ Migraine without aura, not intractable (G43.00) ☐ Migraine without aura, not intractable, with status migrainosus (G43.001) ☐ Migraine without aura, intractable, with status migrainosus (G43.011) ☐ Migraine without aura, intractable, without status migrainosus ☐ Migraine with aura, not intractable, with status migrainosus (G43.101) ☐ Migraine with aura, not intractable, without status migrainosus (G43.109) ☐ Migraine with aura, intractable, with status migrainosus (G43.111) ☐ Migraine with aura, intractable, without status migrainosus (G43.119) ☐ Other Diagnosis Code (ICD-10): _____ ☐ Other Indication: _____ Target start date: _____	<table style="width: 100%;"> <tr> <th style="text-align: left; width: 50%;">Labs</th> <th style="text-align: left; width: 50%;">Frequency</th> </tr> <tr> <td> ☐ No lab tests required. ☐ Other: _____ </td> <td> ☐ Every infusion ☐ Other: _____ </td> </tr> </table>	Labs	Frequency	☐ No lab tests required. ☐ Other: _____	☐ Every infusion ☐ Other: _____
Labs	Frequency				
☐ No lab tests required. ☐ Other: _____	☐ Every infusion ☐ Other: _____				
Previously tried and failed therapies (include dates): _____					
Eptinezumab-jjmr (Vyepi®) in 100 mL 0.9% sodium chloride					
Nursing note: Infuse over approximately 30 minutes. Use an intravenous infusion set with a 0.2 micron or 0.22 micron in-line or add-on sterile filter.					
Dose ☐ 100 mg ☐ 300 mg ☐ _____ mg	Frequency ☐ Every 3 months ☐ Every _____ months Date of last infusion: ____/____/____				

An Outpatient Department of Trinity Health Oakland
9406 Village Place Blvd, Brighton, MI 48116
Phone: 810-844-7373
Fax: 810-844-7366

Pre-Medications and Pre-Protocol (ordered at physician discretion)	☐ Acetaminophen 650 mg PO once ☐ Loratadine 10 mg PO once ☐ Diphenhydramine once ☐ 25 mg ☐ 50 mg ☐ PO ☐ IV ☐ Famotidine 20 mg IV once ☐ Hydrocortisone 100 mg IV once ☐ Methylprednisolone 125 mg IVP once ☐ Other: _____	Hydration ☐ LR ☐ Sodium Chloride 0.9% ☐ Other _____ _____ mL at _____ mL/hr ☐ Before ☐ During ☐ Following
Flushing Protocol <i>as needed for line care</i>	☐ Sodium Chloride 0.9% ☐ 5 mL ☐ 10 mL	☐ Heparin 100 Units/mL ☐ 5 mL ☐ 10 mL
Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary	• Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg) • Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping • Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses • Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea • Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses • Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Diphenhydramine injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom • Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Hydrocortisone sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure	
Provider Name: _____ Attending Physician Name: _____ Office Phone Number: _____ <i>Note: This order is valid for 12 months from date of physician signature.</i> Provider Signature: _____ Provider NPI: _____ Office Fax Number: _____		