

Spesolimab-sbzo (Spevigo®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/____/____

Referral Status: ☐ New Referral ☐ Dose or Frequency Change ☐ Renewal

Patient Name: _____ Patient Address: _____ Patient Phone Number: _____ Date of Birth: ____/____/____ Weight: ____ kg Height: ____ cm Allergies: _____		Primary Insurance: _____ Member ID: _____ Secondary Insurance: _____ Member ID: _____	
Diagnosis <input type="checkbox"/> Generalized pustular psoriasis (L40.1) <input type="checkbox"/> Other Diagnosis Code (ICD-10): _____ <input type="checkbox"/> Other Indication: _____ Target start date: _____		Labs <input type="checkbox"/> CBC <input type="checkbox"/> CRP <input type="checkbox"/> CMP <input type="checkbox"/> Other: _____	
Date of negative Tuberculosis Screen: _____			
Hold and notify provider: Patient has signs/symptoms of an active infection (WBC greater than ULN, ANC greater than ULN, etc.)			
Spesolimab-sbzo (Spevigo) 900 mg in sodium chloride 0.9% 100 ml IVPB <input type="checkbox"/> 1 initial dose <input type="checkbox"/> 1 repeat dose (select for an additional 900 mg dose to be given one week after the initial dose) Administer the infusion solution intravenously over a 90-minute period through an infusion line containing a sterile, low-protein binding 0.2 micron filter.			
Pre-Medications and Pre-Protocol (ordered at physician discretion)		Hydration <input type="checkbox"/> LR <input type="checkbox"/> Sodium Chloride 0.9% <input type="checkbox"/> Other: _____ _____ mL at _____ mL/hr <input type="checkbox"/> Before <input type="checkbox"/> During <input type="checkbox"/> Following	
Flushing Protocol as needed for line care		<input type="checkbox"/> Sodium Chloride 0.9% <input type="checkbox"/> 5 mL <input type="checkbox"/> 10 mL Heparin 100 Units/mL <input type="checkbox"/> 5 mL <input type="checkbox"/> 10 mL	

<p>Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary</p>	<ul style="list-style-type: none"> • Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg) • Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping • Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses • Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea • Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses • Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Diphenhydramine injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom • Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Hydrocortisone sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure 						
<table border="0"> <tr> <td>Provider Name: _____</td> <td>Provider Signature: _____</td> </tr> <tr> <td>Attending Physician Name: _____</td> <td>Provider NPI: _____</td> </tr> <tr> <td>Office Phone Number: _____</td> <td>Office Fax Number: _____</td> </tr> </table> <p><i>Note: This order is valid for 12 months from date of physician signature.</i></p>		Provider Name: _____	Provider Signature: _____	Attending Physician Name: _____	Provider NPI: _____	Office Phone Number: _____	Office Fax Number: _____
Provider Name: _____	Provider Signature: _____						
Attending Physician Name: _____	Provider NPI: _____						
Office Phone Number: _____	Office Fax Number: _____						