ArrIVe INFUSION THERAPY

An Outpatient Department of St. Mary's Hospital
2421 Malcom Bridge Rd Ste 820 Bogart, GA 30622-2325
Phone: 706-389-7802
Fax: 706-389-2501

Alemtuzumab (Lemtrada®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/____/____

Referral Status: ☐ New Referral ☐ Dose or Frequency Change ☐ Renewal

Patient Name: _____ **Patient Address:** _____ **Patient Phone Number:** _____ **Date of Birth**: ____/____/____ **Weight:** _____kg **Height:** _____cm **Allergies:** _____	**Primary Insurance:** _____ **Member ID:** _____ **Secondary Insurance:** _____ **Member ID:** _____
Diagnosis ☐ Multiple sclerosis (G35) ☐Other Diagnosis Code (ICD-10): _____ ☐Other Indication: _____ Target start date: _____	**Labs (within 30 days of infusion)** ☐ CBC with diff ☐ BMP ☐ UA with cell counts ☐ Thyroid panel ☐ Other: _____ ***Note to Provider: CBC w/Diff REQUIRED within 30 days of infusion***

Patient has been pre-screened and is NEGATIVE for:

☐ TB ☐ Hepatitis B ☐ Hepatitis C ☐ HPV ☐ HIV

Alemtuzumab (Lemtrada) 12 mg/1.2 mL in 100 mL of 0.9% sodium chloride IVPB over 4 hours

First treatment course:

☐ 12 mg daily for 5 consecutive days
☐ Other: _____

Second treatment course: 12 months after previous dose

☐ 12 mg daily for 3 consecutive days
☐ Other: _____

Pre-Medications and Pre-Protocol (ordered at physician discretion)	☑ Acetaminophen 650 mg PO once ☐ Loratadine 10 mg PO once ☑ Diphenhydramine once ☑ 25 mg ☐ 50 mg ☑ IV ☐ PO ☐ Famotidine 20 mg IV once ☐ Hydrocortisone 100 mg IV once ☐ Methylprednisolone 125 mg IVP once ☑ Methylprednisolone 1000 mg IVP once ☐ Other: _____	**Hydration** ☐ LR ☐ Sodium Chloride 0.9% ☐ Other _____ _____ mL at _____mL/hr ☐ Before ☐ During ☐ Following

ArrIVe INFUSION THERAPY

An Outpatient Department of St. Mary's Hospital
2421 Malcom Bridge Rd Ste 820 Bogart, GA 30622-2325
Phone: 706-389-7802
Fax: 706-389-2501

Nursing Note	Observe patient for 2-hours post-infusion	
Flushing Protocol *as needed for line care*	☐ Sodium Chloride 0.9% ☐ 5 mL ☐ 10 mL	☐ Heparin 100 Units/mL ☐ 5 mL ☐ 10 mL
Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary **ABNORMAL LABS** **Hold & Notify Provider** *ANC <1500* *Platelets <75,000* *Serum Creatinine* *TSH/Free T4* *Urinalysis*	• **Sodium chloride** 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg) • **Acetaminophen** 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping • **Albuterol** 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses • **Albuterol HFA** inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea • **Epinephrine** injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses • **Famotidine** injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • **Diphenhydramine** injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom • **Diphenhydramine** injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • **Hydrocortisone** sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure	

Provider Name: _____ Provider Signature: _____

Attending Physician Name: _____ Provider NPI: _____

Office Phone Number: _____ Office Fax Number: _____

Note: This order is valid for 12 months from date of physician signature.

Submit