

An Outpatient Department of St. Mary's Hospital
2421 Malcom Bridge Rd Ste 820 Bogart, GA 30622-2325
Phone: 706-389-7802
Fax: 706-389-2501

Alpha1-proteinase inhibitor (Prolastin-C®)

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrIVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/____/____

Referral Status: ☐ New Referral ☐ Dose or Frequency Change ☐ Renewal

Patient Name: _____ Patient Address: _____ Patient Phone Number: _____ Date of Birth: ____/____/____ Weight: ____ kg Height: ____ cm Allergies: _____		Primary Insurance: _____ Member ID: _____ Secondary Insurance: _____ Member ID: _____	
Diagnosis ☐ Alpha1-Antitrypsin Deficiency (E88.0) ☐ Panlobular Emphysema (J43.1) ☐ Diagnosis Code (ICD-10): _____ ☐ Indication: _____ Target start date: _____		Labs No labs required. Labs to be ordered by physician. ☐ CBC ☐ Other: _____	
Alpha1-proteinase inhibitor (Prolastin-C) Dose ☐ 60 mg/kg, IV administer over 15 minutes ☐ Other: _____ Frequency ☐ Every week ☐ Other: _____ Administer the infusion solution through a sterile 15 micron in-line filter.			
Pre-Medications and Pre-Protocol (ordered at physician discretion)		Hydration ☐ LR ☐ Sodium Chloride 0.9% ☐ Other: _____ _____ mL at _____ mL/hr ☐ Before ☐ During ☐ Following	
Flushing Protocol <i>as needed for line care</i>		☐ Sodium Chloride 0.9% ☐ 5 mL ☐ 10 mL ☐ Heparin 100 Units/mL ☐ 5 mL ☐ 10 mL	

An Outpatient Department of St. Mary's Hospital
2421 Malcom Bridge Rd Ste 820 Bogart, GA 30622-2325
Phone: 706-389-7802
Fax: 706-389-2501

Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy as necessary	• Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg) • Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping • Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses • Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea • Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses • Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Diphenhydramine injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom • Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure • Hydrocortisone sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure
Provider Name: _____ Provider Signature: _____ Attending Physician Name: _____ Provider NPI: _____ Office Phone Number: _____ Office Fax Number: _____ <i>Note: This order is valid for 12 months from date of physician signature.</i>	