

An Outpatient Department of St. Mary's Hospital
2421 Malcom Bridge Rd Ste 820 Bogart, GA 30622-2325
Phone: 706-389-7802
Fax: 706-389-2501

Infliximab or Biosimilar

Along with this order form, please include the following: Demographics, Insurance Information, Lab Results, Current Medications, and Recent Visit Notes. ArrlVe Infusion will obtain any necessary medication authorizations for patients receiving infusion therapies.

Order Date: ____/____/____

Referral Status: ☐ New Referral ☐ Dose or Frequency Change ☐ Renewal

Patient Name: _____ Patient Address: _____ Patient Phone Number: _____ Date of Birth: ____/____/____ Weight: ____ kg Height: ____ cm Allergies: _____	Primary Insurance: _____ Member ID: _____ Secondary Insurance: _____ Member ID: _____		
Diagnosis ☐ Rheumatoid Arthritis (M06) specified joint and laterality ICD 10: _____ ☐ Ankylosing Spondylitis (M45) ☐ Psoriatic Arthropathy (L40.59) ☐ Regional Enteritis Unspecified (K50.90) ☐ Ulcerative Enterocolitis (K51.00) ☐ Ulcerative Colitis Unspecified (K51.90) ☐ Other Diagnosis Code (ICD-10): _____ ☐ Other Indication: _____ Target start date: _____	<table style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> Labs ☐ BMP ☐ CMP ☐ Hepatic Panel ☐ CBC w/diff ☐ CBC w/o diff ☐ CRP ☐ ESR ☐ Other: _____ </td> <td style="width: 50%; vertical-align: top;"> Frequency ☐ Every infusion ☐ Other: _____ </td> </tr> </table>	Labs ☐ BMP ☐ CMP ☐ Hepatic Panel ☐ CBC w/diff ☐ CBC w/o diff ☐ CRP ☐ ESR ☐ Other: _____	Frequency ☐ Every infusion ☐ Other: _____
Labs ☐ BMP ☐ CMP ☐ Hepatic Panel ☐ CBC w/diff ☐ CBC w/o diff ☐ CRP ☐ ESR ☐ Other: _____	Frequency ☐ Every infusion ☐ Other: _____		
Previously tried and failed therapies (include dates): _____			
Infliximab or Biosimilar Provider Note Viral Hepatitis B & TB screening required prior to therapy initiation.			
Dose ☐ 3 mg/kg ☐ 5 mg/kg ☐ 7.5 mg/kg ☐ 10 mg/kg ☐ ____ mg/kg ☐ ____ mg	Frequency <table style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> Induction ☐ weeks 0, 2 and 6 </td> <td style="width: 50%; vertical-align: top;"> Maintenance ☐ Every 6 weeks ☐ Every 8 weeks ☐ Every ____ weeks </td> </tr> </table> Date of last infusion: ____/____/____	Induction ☐ weeks 0, 2 and 6	Maintenance ☐ Every 6 weeks ☐ Every 8 weeks ☐ Every ____ weeks
Induction ☐ weeks 0, 2 and 6	Maintenance ☐ Every 6 weeks ☐ Every 8 weeks ☐ Every ____ weeks		

An Outpatient Department of St. Mary's Hospital
2421 Malcom Bridge Rd Ste 820 Bogart, GA 30622-2325
Phone: 706-389-7802
Fax: 706-389-2501

Pre-Medications and Pre-Protocol (ordered at physician discretion)	☐ Acetaminophen 650 mg PO once ☐ Loratadine 10 mg PO once ☐ Diphenhydramine once ☐ 25 mg ☐ 50 mg ☐ PO ☐ IV ☐ Famotidine 20 mg IV once ☐ Hydrocortisone 100 mg IV once ☐ Methylprednisolone 125 mg IVP once ☐ Other: _____	Hydration ☐ LR ☐ Sodium Chloride 0.9% ☐ Other _____ _____ mL at _____ mL/hr ☐ Before ☐ During ☐ Following
Flushing Protocol <i>as needed for line care</i>	☐ Sodium Chloride 0.9% ☐ 5 mL ☐ 10 mL	☐ Heparin 100 Units/mL ☐ 5 mL ☐ 10 mL
Hypersensitivity Panel Together Care Hypersensitivity Panel will be ordered to provide emergency supportive care medication therapy if necessary	Sodium chloride 0.9% bolus 500 mL once as needed for hypotensive management (SBP <90mmHg) Acetaminophen 650 mg once as needed for temperature GREATER than 38 C (100.4 F), headaches, generalized pain, back pain, abdominal cramping Albuterol 2.5 mg /3 mL (0.083%) nebulizer solution 2.5 mg, nebulize every 10 min PRN, hypoxemia, bronchospasm, wheezing, dyspnea, for 2 doses Albuterol HFA inhaler 2 puffs q4hs as needed for hypoxemia, bronchospasm, wheezing, dyspnea Epinephrine injection 0.3 mg IM every 15 minutes as needed for SBP less than 90mmHg, mild to moderate anaphylaxis for 3 doses Famotidine injection 20 mg IV over 2 minutes once as needed for severe hypersensitivity/infusion reaction including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure Diphenhydramine injection 25 mg IV over 1 minute once as needed, moderate hypersensitivity/infusion reaction (grade 2) including temperature greater than 100.5, rigors, localized rash/hives, vomiting, nausea, pruritis, flushing, dizziness, back pain, abdominal cramping, uneasiness, agitation, feeling of impending doom Diphenhydramine injection 50 mg IV over 1 minute once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure Hydrocortisone sodium succinate injection 100 mg IV once as needed for severe hypersensitivity/infusion reaction (grade 3), including systolic BP 80-90 mmHg, bradycardia or tachycardia, hypoxemia, dyspnea, cognitive changes, generalized rash, chest pain/pressure	
Provider Name: _____ Attending Physician Name: _____ Office Phone Number: _____ Provider Signature: _____ Provider NPI: _____ Office Fax Number: _____ <i>Note: This order is valid for 12 months from date of physician signature.</i>		